•
· · · · · · · · · · · · · · · · · · ·
×
3
hin

Date: 05/16/09	38 ( <u>19</u> )/		9 1 341 44		
Time: //:/5 Pm			E 390	* -	75 (96)(4
Battery: Wilputte		- × ×	• 8	5.7	·
			.au	4	
Are there any leaks? (yes/no)	NO	* A-		ft -047	
				(40) (/5)	· - · · ·
If yes, what time was the leak tempora	arily sealed?		9 <b>2</b> 5		9
What time and date was it permanentl		- 12 	g 8		
		18			7
If a leak is observed, you must tempo detection. You must initiate repairs H 15 days:	rarily seal the within five (5) a	leak within j lays and con	four (4) nplete th	hours of se repair	within
8 = 1			35		
Signaturė: Jazza	(*)	, 4		*3	

Date: 05/15/09	9 5			300	12	2	
6 a s s s s s s s s s s s s s s s s s s	141 14	141 94	. 2	•	3.5	900	
Time: 17:10 Pm	*******	÷	<b>t</b>			\$1 X1	
Battery: Wilputte		6.	С	·	9	× 40	
		3 · · ·					
	- 10×			÷		* *	
Are there any leaks? (yes/no)	00	960 0 00	385			% ×	
	*:	2	a.		1. 5		
If yes, what time was the leak tempor	rarily sealed?			4	.e	*	ò
		949		. 4			_
What time and date was it permanent	ly repaired?		24		*5	:: ::	
							8
· · · · · · · · · · · · · · · · · · ·	*						
If a leak is observed, you must tempo detection. You must initiate repairs	orarily seal the within five (	he leak with	hin for	ur (4)	hours	of .	
15 days:		y ways und	сотр	reie II	ie repa	ir withi	n
	g 90	El .	3	14 N S	**		
Signature: Sonsie			2.00	2 2		Ãş.	1
The state of the s		10				30 E	

Date: 05/18/09	3X - 3S		(48)	
Time: 10:25 Pm				9 *1
Battery: Wilputte		E 15		* *** *** ***
		· 	* * * * * * * * * * * * * * * * * * *	- u - oc
Are there any leaks? (yes/no)	NO			3 4 K
	,			
If yes, what time was the leak tempora	arily sealed?	4 4		# 2 <sup>580</sup>
What time and date was it permanently	y repaired?	36 8 3		74 ° 14
		*		)91
If a leak is observed, you must tempo detection. You must initiate repairs w 15 days:	rarily seal the leak within five (5) days	within fou and compl	r (4) hours ete the repo	of tir within
		*		
Signature: 66534	9 W	× g,	* * * * * * * * * * * * * * * * * * *	## ¥

Date: 05/19/09.	er ş		ine. Projecti		
Time: <u>12:00Am</u>			e (20	E:	x €
Battery: Disputty		** **	2% (6)	- A 1.	·
		at .	* 1		
Are there any leaks? (yes/no)	00	· · · · · · · · · · · · · · · · · · ·		71 P	- In
If yes, what time was the leak temporar	ily sealed?	() 			20
			iall.	7. 17	- 3
What time and date was it permanently	repaired?	*8 10	2 3	a HX	Far geen
	20	29			†
If a leak is observed, you must tempora detection. You must initiate repairs wit 15 days:	trily seal the l thin five (5) d	eak within f ays and com	our (4) he	ours of repair	within
8			1.70		
s:	2				
Signature: 450364		3 J	·	* 0	(*)
	K			1	1 75

Date: 5/20/09	-	340				
Time:	300 -	. 3		ē		93 36 (8)
Battery: Wilputte	ja La	· Park	e e.e.		5.5.	· ·
	3		*		4	
Are there any leaks? (yes/no)	tr ⊗ fa	g <sup>2</sup>	3	* 1	٠,	4.0
	c .*	(4)		* .	51	
If yes, what time was the leak temporarily sealed?	39C 25 BF		.if	8	Į.	2
What time and date was it permanently repaired?	) (E)		y *2		-	2. X
- Postatational Topaneur	R			9/		
If a leak is observed, you must temporarily seal the leak detection. You must initiate repairs within five (5) days 15 days:	withi and c	n foi omp	ır (4) lete t	hours he rep	of air 1	vithin
	_		* 5	(9.)		
Signature:	3	á o			×	

Date: 5-2	21-09		SE:
Time: 108			* 5.7
Battery: Co:/Potre			e e e e e e e e e e e e e e e e e e e
		4.	
Are there any leaks? (yestno	D .	00 Es	* 150 9
If yes, what time was the leal	k temporarily sealed?	2/	
What time and date was it pe			
1 And the time that date was it pe	imadently repaired?		
If a leak is observed, you mudetection. You must initiate 15 days:	ist temporarily seal the l repairs within five (5) d	eak within four ays and comple	(4) hours of te the repair within
	* .	₩ ₩.,	** 10

Signature:

Date: 6/30/19	er e	a. <sup>3</sup>		*	ă ș
Time: 2pm			(j an 8	(E	33 1823
Battery: Wilpuffe		l'a	* * *	8	
	44				
Are there any leaks? (yes/no)	Section 1		it.	* %5 * *	* 1
	-		~		
If yes, what time was the leak temporarily scaled?	121	39%	:* *		*
	7.50				
What time and date was it permanently repaired?		ų.	8 8 G	6	* *
(2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4	(*)				9
The Tout to 1					
detection. You must initiate repairs within five (5) days:	ik withi vs and c	n foi omp	ur (4) lete ti	hours d ie repai	of r within
If a leak is observed, you must temporarily seal the lead detection. You must initiate repairs within five (5) day 15 days:	ak withi vs and c	n foi omp	ur (4) lete ti	hours d ie repai	of ir within

04	. 2	G 35	8	*	
8		. s	**	* 3	
	50 50				
~	9	K		9	
6.3	1-			\$ 5	
				4.	
((*	54	21 T		3.07	
			10	* .	
7		325	i	186 (6)	
. 4.		270	2.00	. *	
	A. 927		2	50 E	×
	•	-			_
27	A .	500	11	<b>3</b>	
		3	:: <b>*</b> 1:		
¥7			19/0		_
	97	. 8	28	<sup>4</sup>	į
			•		
- 1					3
ak wit	litu Ca			=	
ivs and	com	ur (4)	hours	of .	
,	comp	reie !!	пе гера	ir within	
		9 8			
		6	Č.		
31	* 1			1000	
	ak with	ak within fo ys and comp	ak within four (4) ys and complete t	ak within four (4) hours	ak within four (4) hours of ys and complete the repair within

, ,	2000 11	. G. 1	19	
Date: 7/2/09.	×		. 97 . u	* :=
Time: 2pm	100 gr 30 2 1	* 0 .	3	(A)
Battery: Wifputte		. 10-	i Ma	0 T
	3			4
	1. et . W. #*		nan sa	
Are there any leaks? (yes/no)		e a	" (8 a	
			Se7	*** <u>*</u>
If yes, what time was the leak temporarily	sealed?			96
		,	8.1	
What time and date was it permanently rep	paired?	95 USES		
	(1)	2		.II
If a leak is observed, you must temporaril detection. You must initiate repairs within 15 days:	y seal the leak n five (5) days (	within four and comple	(4) hours	of
13 days:	5.5		ie me repo	ur wunin
Signature:	3,	*.	⊱d V K	
1/0		1 2	940	80 g 8 18 31

Date: 07/03/09		124	9) 9)			٨
Time: 3:45 PM	6   	:: : : : : : : : : : : : : : : : : : :		<b>5</b> 3	9	¥: ×
Battery: Wilputte			((*)			
			er Se			-
Are there any leaks? (yes/no)	"			 E	4 4	. 18
	:	. ~	-		-	-
If yes, what time was the leak temporarily sealed?		54	3		£	
	30		1140	(6)		
What time and date was it permanently repaired?	(#)				- (*)	62 - 1
	i i			-		
If a leak is observed, you must temporarily seal the leak the detection. You must initiate repairs within five (5) days a 15 days.	within and co	four mple	(4) I te th	iours ( 2 repa	of ir wi	thin
* _ `		#8				
Signature: OGORFA		(4)	5 ×			
Signaturé: Constitution de la co			2,		ð.,	
			12		* 0	

Date: 07/04/09	· 2	75		01 (8. 124)	lle.		2
Time: 2:45 Pm	8 °,		ti.	# 000 E	z z		e Res
Battery: Wilputte		e <sup>a</sup> e <sup>a</sup>	1	* 2	-	5	45 4
Annati				at N	* * *		œ.
Are there any leaks? (yes/no) NO			12			•	or É
If yes, what time was the leak temporarily seal	led?	. *		01 S			
What time and date was it permanently repaire		(124) W	8	2 B			* .
		8		•=			*
If a leak is observed, you must temporarily see detection. You must initiate repairs within fiv 15 days.	al the leak ve (5) days	within and co	t fou ompl	ir (4) lete th	hours te rept	of air w	ithin
Signature: Contra	in the second			ot <sub>n27</sub> = 1	*		
4000				* *		* 34" - E	· ·

Date: 07/05/05	80 (42)		, as	
Time: 10:45 Pm				e e
Battery: Wilputte		. *	8.67	4. No.
Are there any leaks? (yes/no)	100			ee .
				- Ed
If yes, what time was the leak	temporarily scaled?		3 % x	
What time and date was it pen	manantly range 10	· 3	£0 20	
in a second	manority repaired?	-	·····	-
30 3 (4)	#	3		1/2
If a leak is observed, you mus detection. You must initiate r. 15 days:	t temporarily seal the epairs within five (5) a	leak within fo lays and comp	ur (4) hour plete the rep	s of vair within
*				
			*	

Date: 7/6/09	** %	18			
Time: 6pm - 20m		", n . , a	the s	e .	
Battery: Wifentte		**	#040	W	5
Are there any leaks? (yes/no)	No			75 EK A 26 90 26	10 Ti
If yes, what time was the leak tempor	rarily sealed?		* *	1 m x	\$
	2	3	. 18	1670	*
What time and date was it permanent	ly repaired? _	*		2.40	
If a leak is observed, you must tempo detection. You must initiate repairs 1 15 days.	orarily seal the within five (5)	e leak withir days and co	i four (4) Omplete i	) hours o he repair	f " within "
			9		

Date: 1-1-09		***	1 .	15	
Dato. 12-13-0-7	- S. S.	¥E			
Time: 3:20 PM	Ţ.				945 \$7.0
Battery: WILPUTTE		wh wat	** *	* 1	2
		3"	N)		*
Are there any leaks? (yes/no)	N	b	5). N		g 20
If yes, what time was the leak tempor	rarily scaled?	E NE			3.001
at at a second of the second o	×				
What time and date was it permanent	ly repaired?	, 0. x		* ***	
e e a		×	,		\\k
If a leak is observed, you must tempo detection. You must initiate repairs t 15 days:	rarily seal the l within five (5) d	eak within f ays and con	our (4) h	ours of	nith in
		10	a 8 8 900	Proper II	
Signature: U Din	· • • • • • • • • • • • • • • • • • • •	. 8	On On	3	10

Date: 7/8/09	g a 100	
Tíme:		
Battery: Wilputte	a au	
Are there any leaks? (yes/no)	,	
720		_
If yes, what time was the leak temporarily scaled?		
What time and date was it permanently repaired?		
3.7		17
If a leak is observed, you must temporarily seal th detection. You must initiate repairs within five (5) 15 days:	he leak within four (4) hours of	!
Signature:	-	

Date: 7/9/19		2				
Time: 6-2	* **			ti K	9	ė o
Battery: Lelifoutte	H <sub>a</sub>	¥	් සම	9		
			20			
Are there any leaks? (yes/no)	· **	203		* ×	(a):	
- 700						
If yes, what time was the leak temporarily sealed?	72		a N			# - #8
	180			10%		EV
What time and date was it permanently repaired?		15		106		
3	ě					- 1
If a leak is observed, you must temporarily seal the le detection. You must initiate repairs within five (5) da 15 days:	eak withi iys and c	n fou ompi	tr (4) lete th	hours ie repa	of ir wit	hin
Signature:	jan	7 3	* *:	-	el ,	

Date: 07/12/09	190	a i	19:	8 9
Time: 7:45 Pm	*. * -:		8	54 548500
Battery: Wilputte	Post Post	- 365 - 8	e ly	
		* *		ina x
	. **	a	9 14	. *
Are there any leaks? (yes/no) \( \int \mathcal{O} \)			* (3.54)	169
			-	
If yes, what time was the leak temporarily sealed?		3	) ** 	8
	8			
What time and date was it permanently repaired?	, X 3	e <sup>ti</sup> an	NO.	***
	٠	•		
If a leak is observed, you must temporarily seal the l detection. You must initiate repairs within five (5) d 15 days:	eak within fo ays and comp	ur (4) h	ours of repair	within
*-		*::	951	
Signature: (Contra		****		

Date: 07/11	109	* @			, 5 ,		81 [8]
Time: 7:30	Pm_	1	ar san	·	· 41	*	a.i.i
Battery: Dilpu	HE			t	85 211	F E	
		# 144 2 244			*		•
Are there any leaks	? (yes/no)	NO	. a 12	4.5			0.00
	9						-
If yes, what time wa	is the leak tempo	orarily sealed?			a 3 .	) /4 	* .
What time and date	was it permanen	tly repaired?_	: isS			+4	
100 mg (100 mg	a 3 a	- 14 N					
If a leak is observed detection. You must 15 days:	, you must temp l initiate repairs	orarily seal th within five (5	e leak with ) days and	in four comple	(4) hor te the r	urs of epair v	vithin
£	*			V			
Signature:	DOBEN			84		······ ,	6
		¥.				-	9

Date: 7/10/09				/•.			
Time:	e de la servición de la servic	Ć ,		at ar		% 10%	
Battery: Wifgutte	, e	K	* * *		e fly		
			540		§		
Are there any leaks? (yes/no) 10		$s^{77}$			*.		
	2) <b>.</b>	75		16:	.00		_
If yes, what time was the leak temporarily scaled?	, an	1 3	185	5 R	*	7( <b>*</b>	
			-				
What time and date was it permanently repaired?	<u>.</u>	0	• •	5			
Medical and a second of the se	9						-
If a leak is observed, you must temporarily seal the lea detection. You must initiate repairs within five (5) day 15 days:	k withi s and c	n fou ompl	r (4) lete ti	hour he rep	s of vair H	vithin	1.7
		*	* '11' :	,			

Date: 07/13/09	25 ¥		g a geolgi a		
Time: <u>\$1:30 Pm</u>			*);		ot execution
Battery: Wilputte		3 <sup>30</sup>		7. 9	
	1 - 1		2 2		
Are there any leaks? (yes/no)	122	× **.	12	N own	s 1
	,				
If yes, what time was the leak temporal	orarily sealed?	11	1 ar :	Acres 1	12
				.,	
What time and date was it permanen	tly repaired?			2) 2)	
6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		8			
If a leak is observed, you must temp detection. You must initiate repairs 15 days.	orarily seal the within five (5) a	leak within lays and cor	four (4) i	hours oj e repair	r within
* .			9)		
Signature: OSBEN	)* 12				
· · · · · · · · · · · · · · · · · · ·			i ig	1	8 9, 2

Date: 9/19/09	*	3. <sup>3</sup>	15		
200. 7//7/07	18	2 × 2	568		
Time: 2pm		ia si	98		nan E
Battery: Willautte	w.S	¥= •			
<u> </u>	a 20		8:		ta da
			94		
	, s,		8	· ·	#/ W
Are there any leaks? (yes/no)	# # Tao	· 2		** ****	
	(*)		740		
If yes, what time was the leak temporarily sealed?	1) 1)	¥6	es Es N		
	*:				
What time and date was it permanently repaired?		* *		= : <del>*</del>	*© ;
en B					
If a leak is observed, you must temporarily seal the detection. You must initiate repairs within five (5) 15 days:	e leak with days and	in four complet	(4) hou e the re	rs of pair w	ithin
		\$8 \$1			
Signature:		1 H 1 H 1 H	F 14		
	390	~ F	10	- 100° -	· · · · · · · · · · · · · · · · · · ·

Date: 7-15-09	(5 B)			7/	- 3
Time: 745 P	**************************************		<b>k</b> o- 1.0	% ()	9 6.85
Battery: Willotte		e***	* 8	8 4	
	3 s y		350	, , , , , , , , , , , , , , , , , , ,	
Are there any leaks? (yes/no)	ra s		519		× X
		- 1		•	1.0
If yes, what time was the leak tempo	rarily sealed?	*	i .	11 a 4	8
	2			236	
What time and date was it permanent	tly repaired?			- 14	Ba 5
			•		
If a leak is observed, you must tempe detection. You must initiate repairs 15 days:	orarily seal the L within five (5) d	eak within ays and co	four (4) inplete th	hours of ie repair	within
Signature: M/3				1	
		2 2	· ·	· ,	(4). (4). (5)

Date: 7.16.09	W1 (L)		i	is a		++
Time: 730P	* · · ·		ļ	i i	*)	50 8 8
Battery: U:/PJTTE	." (3		ec.	<b>5</b> 1915	- 5	
				* * ,	3	
Are there any leaks? (yes/no)		E 3.12			2 3	3000
	,				-	
If yes, what time was the leak tempora	arily soaled?		į.	* *		e s
What time and date was it permanentl	y repaired?_	* * * * * * * * * * * * * * * * * * *	12 X			*
If a leak is observed, you must tempo detection. You must initiate repairs w 15 days:	rarily seal th vithin five (5)	e leak with days and	in four comple	(4) ho	ours of repair	within
Signature: Mild Ban	9 0	. 9	3 8			

Date: 07/18/05	SMS 12	G 58	i, i		
Time: 4:45 Pm		** ** ***	ji Tar	w e	2 64 (4)
Battery: Wilputte	9 8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	, a	3 J	= ,	
Annathum in a late of the second		**		e <sub>n</sub> , , , , , , , , , , , , , , , , , , ,	
Are there any leaks? (yes/no)	NO			× (**)	9. 51
		- 1	(*): V (*)		
If yes, what time was the leak tempor	arily sealed?	i k		*	8
What time and date was it permanentl	y repaired?	.e 5) .e	* <sup>(5)</sup>		· · ·
		÷	-		
If a leak is observed, you must tempo detection. You must initiate repairs 1 15 days:	rarily seal the le within five (5) do	eak within ays and cor	four (4) nplete t	hours of he repair	f within
Signaturė: JGNA	3	ik .		×	· ·

Date: 2-19-09.	7 ×	*			
Time: 11:45P				<u> </u>	(4)) (4)
Battery: WILPUTTE		F. 1	(ii)	n s	Fig. 1
			780	E y	
Are there any leaks? (yes/no)	ND	****		e fil	s + 5
	(.e):				
If yes, what time was the leak tempora	arily sealed?			¥ #	75 993
What time and date was it permanently	7	y 2 2	14 14		
		X	•		
If a leak is observed, you must tempor detection. You must initiate repairs was 15 days.	rarily seal the le vithin five (5) da	eak within juys and cor	four (4) nplete th	hours of e repair	within
				3	341 2

Date: 17-12-08	1 T 18		*,
Time: 7 15 P			* # ******
Battery: willite			* * <sub>4</sub>
		÷ •	
Are there any leaks? (yes/no)	NP		* 1000 *
	1 0	•	
If yes, what time was the leak tempor	arily sealed?		
What time and date was it permanent	8	g 2	
9 30 2		•	*
If a leak is observed, you must tempo detection. You must initiate repairs v 15 days.	rarily seal the leak with vithin five (5) days and	in four (4) f complete th	tours of repair within
.i/la	3 3	1 5 4 4	(49)
Signature: M. San	0.1	8.4	22 ex

Date: 2-2/09	S# W		4 2019 - 11		
Time: JO',15PM  Battery: WICGATE		e te	er (#		10001 40 E
Are there any leaks? (yes/no)	ND.		1	* ***	
	700	<del></del>	-		£997
If yes, what time was the leak temporal	orarily sealed?_		. 2		
What time and date was it permanen	tly repaired?		. *		
. 35			-		9
If a leak is observed, you must temp detection. You must initiate repairs 15 days:	orarily seal the within five (5) c	leak within fo lays and comp	ur (4) ho	ours of repair w	ithin
			8 • a		
Signaturė:	* 4		A. 121		
			380 <sub>B</sub>	* **	

Date: 1.22-09	* (8)	a a		
Time: 10:10 Pm			9 ž	* * *
Battery: WILLOTT		e e	8 p	2 % X.
	\$ 3 1 = 3	5. T		
Are there any leaks? (yes/no)	No	3		
If yes, what time was the leak tempor	rarily scaled?		. I .	ar I
What time and date was it permanent	ly repaired?	8 9	E E	
	** *			9
If a leak is observed, you must tempo detection. You must initiate repairs 15 days:	orarily seal the l within five (5) d	eak within fo ays and com	ur (4) hou plete the re	urs of epair within
Signature:	(a)			
orgnature. V W			A.30	* *

Date: 2-23-09	80 (20	. 167			
Time: 10pm		* 41	** 48	•	35 (35) ** :
Battery: WILPUTE	e yet		* 2	+ 7	
			* * * * * * * * * * * * * * * * * * *		
Are there any leaks? (yes/no)	No:	00 TE 2	9	i le-	
If yes, what time was the leak tempor	rarily sealed?	25 25		*	12
What time and date was it permanent	20	· a		10.1 11 11:4	
		ž.			-
If a leak is observed, you must tempo detection. You must initiate repairs to 15 days:	orarily seal the le within five (5) do	ak within for ys and comp	ır (4) hoi lete the r	urs of epair n	vithin
Signature:		v		16 8	
	7.50		(*)	3	ta 16

Date: 1-24-09					
Time: 11:15 Pm	8 8	-		v.	96 1981#
Battery: WILGUITE		ţ-	9		8
			* * *		***
	a Kapa			* .	
Are there any leaks? (yes/no)		1.0		* ****** * **	ince
If yes what time was to be a			u u		
If yes, what time was the leak temporarily scale	:d?		:	*	
What time and date was it permanently repaired	17	77	 N ⊕	725 H.S	5. Ty.
					•
If a leak is observed, you must temporarily sead detection. You must initiate repairs within five 15 days:	l the leak wit (5) days and	hin for l comp	ır (4) . lete th	hours of e repair	r within
		•		•	Transfer L
Signature: J. Gozea	g	ė,		194	
		. 9	34	1	3 ×

Date. 0/136/09		100	. 9			
Time: 2:15 Am	(0)		2	*		*: *: *:
Battery: Wilputte		ţ =	**		. 5	
	2 B		101		200	9
			*	7.1 (20)	2 1) 10	380
Are there any leaks? (yes/no)			-		fe.	
If yes, what time was the leak temporarily sealed?	2		8	1 12 gr	#: 10	
	*	_				
What time and date was it permanently repaired?	ran		ਭ <sup>*</sup> - ਮ	8	170.20	me û
	9					10
If a leak is observed, you must temporarily seal the leak detection. You must initiate repairs within five (5) days 15 days.	within and co	ı foi	ur (4) Ieto ti	hours	of	Or e
13 days.			ore H	ге гері	иг ф	ithin
Signature: 960000		ě g			e .	81
	7		220		-	€ 6

Date: 07/25/09	*	2 0			
Time: 13:30 Am				59)	* 1
Battery: Wilputte			8 31 % 22	3 °.	=======================================
		*	9	٠,	** **
Are there any leaks? (yes/no)	00	e *ur Lace		****	***
If yes, what time was the leak temporarily	sealed?	(e)		*	·
What time and date was it permanently rep	aired?	ж э рх		20 20 20	
A ST		3			
If a leak is observed, you must temporarily detection. You must initiate repairs within 15 days:	v seal the leak 1 five (5) days	within fo and comp	ur (4) l lete th	hours of e repair	within
Signature: 06000	*	* 3	8 T P	9	

Date: 07/04/09.	3 8	(1.77)			
Time: 11: 45 pm	A			*	(interpretation)
Battery: Wilprotte		, n	i.e.	. I.	e Rose
				2 gg	
Are there any leaks? (yes/no)	100			2 100	
	if and			17	
If yes, what time was the leak tempor	rarily sealed?_			6 x x x x x x x x x x x x x x x x x x x	a 
What time and date was it permanent	ly repaired?	* *	3 W	2 (1) - 	**************************************
**************************************		<u> </u>	•		.17
If a leak is observed, you must tempe detection. You must initiate repairs 15 days.	orarily seal the within five (5) o	leak within f lays and con	our (4) I	ours of e repair	within
			*		- 72
S: 7 C	1901 api		* p = 0		
Signature: 460REN		E 3	3	55	
				1.54	41 80

Date: 07/27/69	2 2	a
Time: 11:45 Pm	* * L .	38 (20) 38 (21)
Battery: Wilputte		* *
	, a* .	
Are there any leaks? (yes/no)		
	7	- (2)
If yes, what time was the leak temporarily sealed?		000
What time and date was it permanently repaired?	a e	* * ***
	1	-
If a leak is observed, you must temporarily seal the leadetection. You must initiate repairs within five (5) do 15 days.	eak within four ( ays and complete	4) hours of the repair within
# # 2 <sup>2</sup>	¥	
Signature: Almore	**************************************	a are

Date: 7-28-59	at see	a s		5 <b>.</b> 51	* *
Time:	\$ 's	t s	2	e	<u> </u>
Battery: W:/ Potte	*	2 300 28			35 4
		31 A A A A A A A A A A A A A A A A A A A	Esa 600	1 g	
Are there any leaks? (yestno)	A 3	ē*		5 ×	. *
			-	,	
If yes, what time was the leak temporarily	y sealed?	# #	•	Ha .*	•
What time and date was it permanently re	paired?	e	a e		
		*			8
If a leak is observed, you must temporari detection. You must initiate repairs within 15 days:	ly seal the le in five (5) da	ak within j ys and con	four (4) uplete tl	hours of he repair	within
Signature: 1/1/2	90				* 1

Date: 7-29-09	000 g			~ <u>~</u>	3 3
Time: 10 45 p			u a	(0)	1000 32 10
Battery: W.I Poffe			* **:		W
		*. *	28	20 E	
Are there any leaks? (yes/no)					200
	-				-
If yes, what time was the leak temperature	orarily scaled?			) 1 10	21
What time and date was it permaner				**************************************	
		d	-14		
If a leak is observed, you must temp detection. You must initiate repairs 15 days:	oorarily seal the le within five (5) da	ak within fo ys and comp	ur (4) I olete th	tours of repair	within
Signature: Mall Ban	w (w)	. 8:	* * * *	365	
			૽૾૽૽૾૽૽૽	3	e 3ag ∋

Date: 9-30-09	200 g	a at		
Time:		* · · · · ·		9 (88) E FI
Battery: William		16.	4	# "g
		4.	- (a) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	
Are there any leaks? (yes no)	તાંતુ ક	X = p	2	
		—, ·	<del></del> :	
If yes, what time was the leak temporal	orarily scaled?	v	,	3 gr
What time and date was it permanen	atly repaired?			,, ,,
If a leak is observed, you must temp detection. You must initiate repairs 15 days:	orarily seal the lo within five (5) do	eak within for ays and comp	ur (4) hour lete the re	rs of vair within
8				
Signature:		. 41		54 54s
	E a			F 76 F

	NYME 2		200				
Date: 8/1/49		3,*		-			
Date. 11/1/09		3.	e)				
Tr. 14		**			45		*
Time: John			n =				4 8
	ae" e" a		1-				
Battery: Wilnuffe	2.2					4 8	
/ /	19E	× *					
	*			-		358	<b>.</b> 8
				:::			060
Are there any leaks? (yes/no)		٠.			100	902 1802	
1101 (110) (YOS/110) / 700		-1-1-1-1	2.0		k(*)		
72							
If yes what time was the look			ं	2	ž s		
If yes, what time was the leak temporarily see	aled?			#			(E)
		-		-		6	-
What time and determine	-			(i) II			
What time and date was it permanently repair	ed?		8		42	(a) •	5.
3 60	Will the state of	97					-
11.1		(6)					
The limit to the							
If a leak is observed, you must temporarily so detection. You must initiate repairs within fi	eal the leak	within	fau	w.CA\			
detection. You must initiate repairs within fi 15 days:	ve (5) days	and co	mnl	ada da	iours	of .	
is aays:	( )		шұрі	eie Iu	e repo	ur w	ithin
11:			52				
· · · · · · · · · · · · · · · · · · ·	16		*				
Signature:	48		(# % %			167	
//		5					

Date: 07/31/09	3# · · · · · · · · · ·		, F. 75		
Time: 4:15Am	*	* * * *		· ·	34 #550
Battery: Wilportton		w <sup>k</sup>	· ·		E STATE OF THE STA
			38		× 2
Are there any leaks? (yes/no)	NO	r · · · · · ·	y**	3 A	
If yes, what time was the leak tempo	rarily sealed?	i)			
What time and date was it permanent	,	8			
	N 200				
If a leak is observed, you must tempe detection. You must initiate repairs 15 days:	orarily seal the within five (5)	leak within days and c	n four (i Omplete	1) hours ( the repa	of ir within
Signature: 16035	a 9 F	4		*	22 28
			8 %		() 2 <sub>0</sub> ()

Time: 400 Am  Battery: WILF WITT			· ·	045 360 32 - *g	±0 ⊛ ≈
			3*	· .	
Are there any leaks? (yes/no)	٥٠	E # #		17 - 40 (40)	
If yes, what time was the leak temporar	8		7	(M) SE() SE() SE() SE() SE() SE() SE() SE(	(i
What time and date was it permanently		. * 		20 FEB	
If a leak is observed, you must temporal detection. You must initiate repairs with 15 days.	rily seal the lea hin five (5) day	k within s and co	four (4) mplete t	hours of he repair	within
Signature: Lensup		×		85 S	

×			8
	į.		(90 20 E)
**	36 a		
	e <sup>Q</sup>		yax A
11		100	
11			28 67
% %	139	2.** 2. 0.0	* *
	•		-
eak within ys and co	t four (4) Implete ti	hours of he repair	within
	8 s %		
	8 .	84	28
	× *;	į.	≈ a <sub>e</sub> ×
	ak within	ak within four (4) ys and complete th	ak within four (4) hours of ys and complete the repair

#E (2		4 8 3		
	* **		/(E)	€ € &
	v <sup>®</sup> ∵ v	· Winner	8 <sup>15</sup> 4	
*	4.			0.50
1 ya 1	3"	8	*	) i
NO	<b>Y</b>		2 F	
((*)				-
lv sealed?	•8		2 G	
	<del></del>			
epaired?	340	8	. 83	Sec. S.
1	= E			
rily seal the le hin five (5) do	eak within ays and co	four (4) implete t	hours of he repair	within
- 421		1 <sub>1,0</sub>		
	ly sealed? epaired? tly seal the lehin five (5) de	repaired?	repaired?	